AMENDMENT OF COLUMN	1. CONTRACT ID C	CODE	PAGE OF PAGES		
AMENDMENT OF SOLICIT	ATION/MODIF	ICATION OF CONTRACT	J		1 7
2. AMENDMENT/MODIFICATION NO. P00001	3. EFFECTIVE DATE 26 Apr. 201	4. REQUISITION/PURCHASE REQ. NO.	5.	PROJECTN	O.(Ifapplicable)
6, ISSUED BY CODE COMMANDER, SPACE AND NAVAL WARFARE SYSTEMS COMMAND 02 CONTRACTS 4301 PACIFIC HIGHWAY SAN DIEGO CA 92110-3127	N00039	7. ADMINISTERED BY (If other than item 6) DCMA SAN DIEGO 7675 DAGGET ST SUITE 200 SAN DIEGO CA 921112241	CODE	S0514A	A
8. NAME AND ADDRESS OF CONTRACTOR VIASAT, INC. 6155 EL CAMINO REAL CARLSBAD CA 92009-1602 CODE 47358	FACILITY COD		9A. AMENDMEN 9B. DATED (SEE X 10A. MOD. OF CO N00039-15-D-004 10B. DATED (SE X 21-Aug-2015	ITEM 11) ONTRACT	/ORDER NO.
The above numbered solicitation is amended as set fo				is not extend	led
Offer must acknowledge receipt of this amendment pr (a) By completing Items 8 and 15, and returning or (c) By separate letter or telegram which includes a RECEIVED AT THE PLACE DESIGNATED FOR REJECTION OF YOUR OFFER. If by virtue of this provided each telegram or letter makes reference to the 12. ACCOUNTING AND APPROPRIATION I	copies of the amendment reference to the solicitation THE RECEIPT OF OFFERS amendment you desire to cha e solicitation and this amend	nt; (b) By acknowledging receipt of this amendme and amendment numbers. FAILURE OF YOUR A PRIOR TO THE HOUR AND DATE SPECIFIEI nge an offer already submitted, such change may b	ent on each copy of the offer s ACKNOWLEDGMENT TO D MAY RESULT IN De made by telegramor letter,	BE	
			.1		
IT MO	DIFIES THE CONTRAC	FO MODIFICATIONS OF CONTRACT CT/ORDER NO. AS DESCRIBED IN IT	EM 14.		
A. THIS CHANGE ORDER IS ISSUED PUR CONTRACT ORDER NO. IN ITEM 10A					
B. THE ABOVE NUMBERED CONTRACT	ORDER IS MODIFIED	TO REFLECT THE ADMINISTRATI	VE CHANGES (such as o	changes in	paying
office, appropriation date, etc.) SET FOR C. THIS SUPPLEMENTAL AGREEMENT	IS ENTERED INTO PU	JRSUANT TO AUTHORITY OF:	K 45.105(D).		
X D. OTHER (Specify type of modification an Mutual Agreement of the Parties	d authority)				
E. IMPORTANT: Contractor is not,	X is required to sig	gn this document and return 1	copies to the issuing o	office.	
14. DESCRIPTION OF AMENDMENT/MODI where feasible.) Modification Control Number: poncep1 The purpose of this no cost modification is a Section D-Update D1 and D7 Section H-Add H-49 Section I-Update Ordering Clause	6646	by UCF section headings, including solid	citation/contract subject	matter	
Section J-ncorporate revised attachments					
see page 2.					
Except as provided herein, all terms and conditions of the	document referenced in Item	9A or 10A, as heretofore changed, remains uncha	anged and in full force and eff	fect.	morphy Acada A
15A. NAME AND TITLE OF SIGNER (Type Gary Cosman, Sr. Contracts Admin: ViaSat, Inc., Gov't Systems Divis	istrator	PATRICIA PONCE-F	ELIU		
CONTROL CONTRO		TEL 619-524-6378	EMAIL patricia.pon		C. DATE SIGNED
15B. CONTRACTOR/OFFEROR	15C. DATE SIGNE	(b)(6	5)		
(b)(6) (Signature of person authorized to sign)	_ 26 April 2016	(Signature of Contracting O	fficer)	- 2	6-APr-20
(Signapare of person agenorized to sign)		(-grant tr. commuting o	CTE 4 N	ID I DD EO	D1 (20 (D) 10 02)

SECTION SF 30 BLOCK 14 CONTINUATION PAGE

SUMMARY OF CHANGES

SECTION SF 30 - BLOCK 14 CONTINUATION PAGE

The following have been added by full text:

The purpose of this **no cost** modification is as follows:

- 1. Section D-Update D1 and D7
- 2. Section H-Add H-49
- 3. Section I-Update 252.216-7006 ORDERING
- 4. Update Section J with revised:

Production SOW F.1 Data List

CDRL General Instructions CDRLS A009 and A011

5. Update Section J-incorporate new CDRL 0017.

SECTION A - SOLICITATION/CONTRACT FORM

The standard size code 750 has been added. The NAICS code 334220 has been added.

SECTION D - PACKAGING AND MARKING

The following have been modified:

D-1

HAZARDOUS MATERIAL SAFETY DATA SHEETS

(a) The Contractor shall submit one copy of the Material Safety Data Sheets (MSDS) required by FAR clause 52.223-3 to the addresses shown below:

NAVY & Commanding Officer

MARINE CORPS: Navy and Marine Corps Public Health Center

Attn: IH/HMIRS

620 John Paul Jones Cir., Suite 1100 Portsmouth, VA 23708-2103

Telephone: (757) 953-0746/0741; DSN: 377-0746/0471

FAX: (757) 953-0689

EMAIL: nmcp-navyhmirs@med.navy.mil

AIR FORCE: USAFSAM\OE

Attn: HMIRS

2510 5th Street, Bldg 840, Rm 328H

EMAIL: (b)(6) ARMY: Chief USAMC LOGSA Packaging, Storage, Containerization Center ATTN: AMXLS-AT-P 11 Hap Arnold Blvd. Tobyhanna, PA 18466-5097 Telephone: (570) 615-7685; DSN: 795-7685 FAX: (570) 615-7175 EMAIL: (b)(6) (b) The Contractor also shall send one copy of the MSDS to the "ship to" addressee(s) designated in this contract/order. D-7 LRU AND SRU LABELING (a) The Contractor shall provide a durable, readable, and indelible identification label or plate in accordance with MIL-STD-130 that is securely applied, fastened, or attached to each LRU and SRU in a conspicuous location. The label text font size shall be no smaller than 8pt. In the case where available space does not accommodate 8 pt, text font sizes as small as 6 pt are acceptable. (b) The LRU label or plate shall identify: (i) the following human readable information (accepted abbreviations are noted): (The Nomenclature of the individual item.) P/N: _____ (The Part Number of the individual item.) S/N: (The Serial Number of the individual item.) CAGE: _____ (The Commercial and Government Entity Code of the manufacturer.) NSN: _____ (National Stock Number) (The Contract Number of the manufacturer.) If the item is to be delivered to the U.S. Government, "US" shall appear in the lower right corner of the label. If the item is to be delivered to a government other than the U.S., no marking shall be made. (c) The SRU label or plate shall identify: The primary SRU identification label shall be human readable in a conspicuous location on the item's primary structure, (not on removable parts or covers); however, SRU labels shall not be visible during normal operation. Labels shall contain the following minimum information: Human readable P/N: _____ (The Part Number of the individual item.) Note: If a NSA "0N" number is assigned, Human readable NSA "0N" number replaces the manufacturer's part number

Human readable S/N: (The Serial Number of the individual item.)

Wright Patterson AFB, OH 45433-7212 Telephone: (937) 938-3443; DSN: 798-3443

FAX: (937) 904-8973

	Human readable CAGE: (The Commercial and Government Entity Code of the manufacturer.)
	Human readable R/D: (The Reference Designator of the individual item, e.g., A1, A2, etc.)
(i	Space permitting, the primary identification label shall additionally include linear bar Code 128 symbols for the following: P/N: (The Part Number of the individual item.) S/N: (The Serial Number of the individual item.) CAGE: (The Commercial and Government Entity Code of the manufacturer.)
(i	SRUs contained in a chassis shall be secondarily labeled so that identification data is visible when the card cage cover is removed and shall minimally identify the following: Human readable P/N: (The Part Number of the individual item.) Note: If a NSA "0N" number is assigned, Human readable NSA "0N" number replaces the manufacturer's part number Human readable S/N: (The Serial Number of the individual item.) Human readable CAGE: (The Commercial and Government Entity Code of the manufacturer.) Human readable R/D: (The Reference Designator of the individual item, e.g., A1, A2, etc.) (a) Ejector Clips lettering and numbering shall be oriented such that when the SRU is installed in the Terminal the top of each letter and number shall be towards the rear of the Terminal. Ejector Clip labels shall include the following information: Top Ejector Clip - Manufacturer's Part Number (P/N) Bottom Ejector Clip - Manufacturer's CAGE Code and Serial Number (S/N)
(d) If a wa	arranty applies, the contractor shall additionally affix a Warranty Label to the individual LRU
(i	identifies the LRU as a "Warranted Item" and uses a text font size of 16pt; i) identifies the date the warranty expires (if applicable); ii) remains in place until the warranty expires;
(i	v) warranty labels are not required on SRUs
(e) Label colors shall conform to ANSI Z535 as follows:
'(caution labels (used where a hazard to the equipment is possible) shall have the word CAUTION" in black lettering on a yellow background and all other text to be black letters on white background.
	warning labels (used where a hazard to the personnel is possible) shall have the word WARNING" in black lettering on an orange background and all other text to be black letters

on a white background.

(iii) danger labels (used where an extreme hazard to the personnel is possible) shall have the word "DANGER" in white lettering on a red background and all other text to be black letters on a white background.

SECTION H - SPECIAL CONTRACT REQUIREMENTS

The following have been added by full text:

H-49

MIDS COMMERCIAL LOW VOLUME TERMINAL (CLVT) INTEROPERABILITY REQUIREMENTS
The contractor is required to demonstrate interoperability with previously procured Commercial Low Volume terminals as part of its qualification effort in H-23 MIDS-LVT FIRST ARTICLE QUALIFICATION REQUIREMENTS. A government furnished CLVT will be provided to support this activity.

SECTION I - CONTRACT CLAUSES

The following have been modified:

252.216-7006 ORDERING (MAY 2011)

(a) Any supplies and services to be furnished under this contract shall be ordered by issuance of delivery orders or task orders by the individuals or activities designated in the contract schedule. Such orders may be issued from contract award as follows:

Ordering Period	CLIN	From	To
1	1001-1999	Contract Award	15 June 2016
2	2001-2999	16 June 2016	15 June 2017
3	3001-3999	16 June 2017	15 June 2018
4	4001-4999	16 June 2018	15 June 2019
5	5001-5999 9001-9002	16 June 2019	15 June 2020

- (b) All delivery orders or task orders are subject to the terms and conditions of this contract. In the event of conflict between a delivery order or task order and this contract, the contract shall control.
- (c)(1) If issued electronically, the order is considered ``issued" when a copy has been posted to the Electronic Document Access system, and notice has been sent to the Contractor.

- (2) If mailed or transmitted by facsimile, a delivery order or task order is considered ``issued" when the Government deposits the order in the mail or transmits by facsimile. Mailing includes transmittal by U.S. mail or private delivery services.
- (3) Orders may be issued orally only if authorized in the schedule.

(End of Clause)

SECTION J - LIST OF DOCUMENTS, EXHIBITS AND OTHER ATTACHMENTS

The following have been modified:

SECTION J

SECTION J - LIST OF ATTACHMENTS & EXHIBITS

ATTACHMENT "A"	Statement of Work (SOW) for MIDS LVT Production dated 02/11/2016
ATTACHMENT "B"	Small Business Subcontracting Plan dated 6/23/2015
ATTACHMENT "C"	RESERVED
ATTACHMENT "D"	Statement of Work (SOW) for MIDS Engineering Services dated 01/29/15
ATTACHMENT "E"	RESERVED
ATTACHMENT "F"	F.1-MIDS-LVT Index and Data Lists dated 02/05/2016 applicable to all BU1 and BU2 MIDS-LVT terminals ordered under the contract.
ATTACHMENT "G"	RESERVED
ATTACHMENT "H"	DD Form 254, Contract Security Classification Specification, 21 August 2015
ATTACHMENT "I"	Acceptance Test Requirements Matrix for MIDS-LVT (1) dated 03/19/15
ATTACHMENT "J"	Acceptance Test Requirements Matrix for MIDS LVT (2)/(11) dated 03/19/15
ATTACHMENT "K"	Acceptance Test Requirements Matrix for MIDS LVT (3) dated 03/27/15
ATTACHMENT "L"	RESERVED
ATTACHMENT "M"	RESERVED
ATTACHMENT "N"	Acceptance Test Requirements Matrix for MIDS LVT Terminals Executing NSIO and NCP Software dated 03/19/15

ATTACHMENT "O" RESERVED

ATTACHMENT "P" RESERVED

ATTACHMENT "Q" NSA TEMPEST Questionnaire for ECPs dated 06/06/11

ATTACHMENT "R" RESERVED

ATTACHMENT "S" CDRL General Instructions dated 02/11/2016

ATTACHMENT "T" RESERVED

ATTACHMENT "U" RESERVED

ATTACHMENT "V" RESERVED

ATTACHMENT "W" NSA Engineering Change Proposal (ECP) Risk Assessment Panel (RAP) Questionnaire

EXHIBIT "A" CDRLs for MIDS-LVT Production dated 02/04/2016

EXHIBIT "D" CDRLs for MIDS-LVT Engineering Services dated 01/29/15 APPENDIX "A" Production SOW – Database Instructions Spreadsheet

APPENDIX "B" Production SOW – Database Instructions

(End of Summary of Changes)